

Technical data sheet

CE: Ref 01023746 - UPC/EAN 737859237461
UK: Ref 01023746 - UPC/EAN 737859237461
US: Ref 01023747 - UPC/EAN 737859237461
JP: Ref 01023748 - UPC/EAN 737859237461

Description:

Belle de Nuit - Chandelier 12 lights - absolute black
Belle de Nuit - Chandelier 12 luces - negro absoluto

Collection:
Mounting:

BELLE DE NUIT
 Chandelier

Environment:

Chandelier entirely made of porcelain. Made in different finishes to match all decorative ambiances. Not very heavy to simplify its installation. Bespoke measures available under request.

Installation and assembly:

Follow instructions of the installation guide

Electrical characteristics:

Max. Power: 12 x 18W
Tension: CE-UK: 220/240VAC US-JP: 100/125VAC
Frequency: 50/60Hz
 Dimmer not included / LED bulb non dimmable

Bulb

Bulb not included **Bulb reference** 1089407
CE: 12 x E14 Led 4W 220V (105Lm/W)
US: 12 x E12 Led 4W 220V (105Lm/W)

Physical characteristics:


1 Box / 111 x 82 x 82 cm / 0,746 m3
 1 Box / 43 3/4 x 32 1/4 x 32 1/4 inches / 45503 in3
 Gross weight 36 Kg. / Net weight 8,3 Kg.



LIADRÓ® BdN - Chand.

Esta luminaria es compatible con bombillas de clases energéticas:

874/2012



Technical data sheet

CE: Ref 01023208 - UPC/EAN 737859232084
UK: Ref 01023208 - UPC/EAN 737859232084
US: Ref 01023209 - UPC/EAN 737859232084
JP: Ref 01023210 - UPC/EAN 737859232084

Description:

Belle de Nuit - Chandelier 12 lights - black
Belle de Nuit - Chandelier 12 luces - negro

Collection:
Mounting:

BELLE DE NUIT
 Chandelier

Environment:

Chandelier entirely made of porcelain. Made in different finishes to match all decorative ambiances. Not very heavy to simplify its installation. Bespoke measures available under request.

Installation and assembly:

Follow instructions of the installation guide

Electrical characteristics:

Max. Power: 12 x 9W (108W)
Tension: CE-UK: 220/240VAC US-JP: 100/125VAC
Frequency: 50/60Hz
 Dimmer not included / LED bulb non dimmable

Bulb

Bulb not included **Bulb reference** 01089407
CE: 12 x E14 Led 4W 220V (105Lm/W)
US: 12 x E12 Led 4W 110V (105Lm/W)

Physical characteristics:


1 Box / 111 x 82 x 82 cm / 0,746 m3
 1 Box / 43 3/4 x 32 1/4 x 32 1/4 inches / 45503 in3
 Gross weight 36 Kg. / Net weight 8,3 Kg.



LIADRÓ BdN - Chand.

Esta luminaria es compatible con bombillas de clases energéticas:

874/2012



Technical data sheet

CE: Ref 01023248 - UPC/EAN 737859232480
UK: Ref 01023248 - UPC/EAN 737859232480
US: Ref 01023249 - UPC/EAN 737859232480
JP: Ref 01023250 - UPC/EAN 737859232480

Description:

Belle de Nuit -Chandelier 12 lights - blue
Belle de Nuit - Chandelier 12 luces - azul

Collection:
Mounting:

BELLE DE NUIT
 Chandelier

Environment:

Chandelier entirely made of porcelain. Made in different finishes to match all decorative ambiances. Not very heavy to simplify its installation. Bespoke measures available under request.

Installation and assembly:

Follow instructions of the installation guide

Electrical characteristics:

Max. Power: 12 x 9W (108W)
Tension: CE-UK: 220/240VAC US-JP: 100/125VAC
Frequency: 50/60Hz
 Dimmer not included / LED bulb non dimmable

Bulb

Bulb not included **Bulb reference** 1089407
CE: 12 x E14 Led 4W 220V (105Lm/W)
US: 12 x E12 Led 4W 110V (105Lm/W)

Physical characteristics:


1 Box / 111 x 82 x 82 cm / 0,746 m3
 1 Box / 43 3/4 x 32 1/4 x 32 1/4 inches / 45503 in3
 Gross weight 36 Kg. / Net weight 8,3 Kg.



LIADRÓ® BdN - Chand.

Esta luminaria es compatible con bombillas de clases energéticas:

874/2012



Technical data sheet

CE: Ref 01023308 - UPC/EAN 737859233081
UK: Ref 01023308 - UPC/EAN 737859233081
US: Ref 01023309 - UPC/EAN 737859233081
JP: Ref 01023310 - UPC/EAN 737859233081

Description:

Belle de Nuit - Chandelier 12 lights - gold
Belle de Nuit - Chandelier 12 luces - oro

Collection:
Mounting:

BELLE DE NUIT
 Chandelier

Environment:

Chandelier entirely made of porcelain. Made in different finishes to match all decorative ambiances. Not very heavy to simplify its installation. Bespoke measures available under request.

Installation and assembly:

Follow instructions of the installation guide

Electrical characteristics:

Max. Power: 12 x 9W (108W)
Tension: CE-UK: 220/240VAC US-JP: 100/125VAC
Frequency: 50/60Hz
 Dimmer not included / LED bulb non dimmable

Bulb

Bulb not included **Bulb reference** 01089407
CE: 12 x E14 Led 4W 220V (105Lm/W)
US: 12 x E12 Led 4W 110V (105Lm/W)

Physical characteristics:


1 Box / 111 x 82 x 82 cm / 0,746 m3
 1 Box / 43 3/4 x 32 1/4 x 32 1/4 inches / 45503 in3
 Gross weight 36 Kg. / Net weight 8,3 Kg.



LIADRÓ BdN - Chand.

Esta luminaria es compatible con bombillas de clases energéticas:

874/2012



Technical data sheet

CE: Ref 01023288 - UPC/EAN 737859232886
UK: Ref 01023288 - UPC/EAN 737859232886
US: Ref 01023289 - UPC/EAN 737859232886
JP: Ref 01023290 - UPC/EAN 737859232886

Description: Belle de Nuit - Chandelier 12 lights - multicolor
 Belle de Nuit - Chandelier 12 luces - multicolor

Collection: BELLE DE NUIT
Mounting: Chandelier


Environment: Chandelier entirely made of porcelain. Made in different finishes to match all decorative ambiances. Not very heavy to simplify its installation. Bespoke measures available under request.

Installation and assembly: Follow instructions of the installation guide

Electrical characteristics:
Max. Power: 12 x 9W (108W)
Tension: CE-UK: 220/240VAC US-JP: 100/125VAC
Frequency: 50/60Hz
 Dimmer not included / LED bulb non dimmable

Bulb
 Bulb not included **Bulb reference** 01089407
CE: 12 x E14 Led 4W 220V (105Lm/W)
US: 12 x E12 Led 4W 110V (105Lm/W)

Physical characteristics:
 1 Box / 111 x 82 x 82 cm / 0,746 m3
 1 Box / 43 3/4 x 32 1/4 x 32 1/4 inches / 45503 in3
 Gross weight 36 Kg. / Net weight 8,3 Kg.



Technical data sheet

CE: Ref 01023228 - UPC/EAN 737859232282
UK: Ref 01023228 - UPC/EAN 737859232282
US: Ref 01023229 - UPC/EAN 737859232282
JP: Ref 01023230 - UPC/EAN 737859232282

Description:

Belle de Nuit - Chandelier 12 lights - green
Belle de Nuit - Chandelier 12 luces - verde

Collection:
Mounting:

BELLE DE NUIT
 Chandelier

Environment:

Chandelier entirely made of porcelain. Made in different finishes to match all decorative ambiances. Not very heavy to simplify its installation. Bespoke measures available under request.

Installation and assembly:

Follow instructions of the installation guide

Electrical characteristics:

Max. Power: 12 x 9W (108W)
Tension: CE-UK: 220/240VAC US-JP: 100/125VAC
Frequency: 50/60Hz
 Dimmer not included / LED bulb non dimmable

Bulb

Bulb not included **Bulb reference** 01089407
CE: 12 x E14 Led 4W 220V (105Lm/W)
US: 12 x E12 Led 4W 110V (105Lm/W)

Physical characteristics:


1 Box / 111 x 82 x 82 cm / 0,746 m3
 1 Box / 43 3/4 x 32 1/4 x 32 1/4 inches / 45503 in3
 Gross weight 36 Kg. / Net weight 8,3 Kg.



LIADRÓ BdN - Chand.

Esta luminaria es compatible con bombillas de clases energéticas:

874/2012



Technical data sheet

CE: Ref 01023268 - UPC/EAN 737859232688
UK: Ref 01023268 - UPC/EAN 737859232688
US: Ref 01023269 - UPC/EAN 737859232688
JP: Ref 01023270 - UPC/EAN 737859232688

Description:

Belle de Nuit - Chandelier 12 lights - pink
Belle de Nuit - Chandelier 12 luces - rosa

Collection:
Mounting:

BELLE DE NUIT
 Chandelier

Environment:

Chandelier entirely made of porcelain. Made in different finishes to match all decorative ambiances. Not very heavy to simplify its installation. Bespoke measures available under request.

Installation and assembly:

Follow instructions of the installation guide

Electrical characteristics:

Max. Power: 12 x 9W (108W)
Tension: CE-UK: 220/240VAC US-JP: 100/125VAC
Frequency: 50/60Hz
 Dimmer not included / LED bulb non dimmable

Bulb

Bulb not included **Bulb reference** 01089407
CE: 12 x E14 Led 4W 220V (105Lm/W)
US: 12 x E12 Led 4W 110V (105Lm/W)

Physical characteristics:


1 Box / 111 x 82 x 82 cm / 0,746 m3
 1 Box / 43 3/4 x 32 1/4 x 32 1/4 inches / 45503 in3
 Gross weight 36 Kg. / Net weight 8,3 Kg.



LIADRÓ® BdN - Chand.

Esta luminaria es compatible con bombillas de clases energéticas:

874/2012



Technical data sheet

CE: Ref 01023795 - UPC/EAN 737859237959
UK: Ref 01023795 - UPC/EAN 737859237959
US: Ref 01023796 - UPC/EAN 737859237959
JP: Ref 01023797 - UPC/EAN 737859237959

Description:

Belle de Nuit - Chandelier 12 lights. Silver
Belle de Nuit - Chandelier 12 luces. Plata

Collection:
Mounting:

BELLE DE NUIT
 Chandelier

Environment:

Chandelier entirely made of porcelain. Made in different finishes to match all decorative ambiances. Not very heavy to simplify its installation. Bespoke measures available under request.

Installation and assembly:

Follow instructions of the installation guide

Electrical characteristics:

Max. Power: 12 x 9W
Tension: CE-UK: 220/240VAC US-JP: 100/125VAC
Frequency: 50/60Hz
 Dimmer not included / LED bulb non dimmable

Bulb

Bulb not included **Bulb reference** 01089407
CE: 12 x G9 Led 3W 220V (190Lm)
US: 12 x G9 Led 3W 110V (190Lm)

Physical characteristics:


1 Box / 111 x 82 x 82 cm / 0,746 m3
 1 Box / 43 3/4 x 32 1/4 x 32 1/4 inches / 45503 in3
 Gross weight 29,6 Kg. / Net weight 8,3 Kg.



LIADRÓ BdN - Chand.

Esta luminaria es compatible con bombillas de clases energéticas:

874/2012



Technical data sheet

CE: Ref 01023188 - UPC/EAN 737859231889
UK: Ref 01023188 - UPC/EAN 737859231889
US: Ref 01023189 - UPC/EAN 737859231889
JP: Ref 01023190 - UPC/EAN 737859231889

Description:

Belle de Nuit - Chandelier 12 lights - white
Belle de Nuit - Chandelier 12 luces - blanco

Collection:

BELLE DE NUIT

Mounting:

Chandelier

Environment:

Chandelier entirely made of porcelain. Made in different finishes to match all decorative ambiances. Not very heavy to simplify its installation. Bespoke measures available under request.

Installation and assembly:

Follow instructions of the installation guide

Electrical characteristics:

Max. Power: 12 x 9W (108W)
Tension: CE-UK: 220/240VAC US-JP: 100/125VAC
Frequency: 50/60Hz
Dimmer not included / LED bulb non dimmable

Bulb

Bulb not included

Bulb reference
01089407

CE: 12 x E14 Led 4W 220V (105Lm/W)

US: 12 x E12 Led 4W 110V (105Lm/W)

Physical characteristics:


1 Box / 111 x 82 x 82 cm / 0,746 m3
1 Box / 43 3/4 x 32 1/4 x 32 1/4 inches / 45503 in3
Gross weight 36 Kg. / Net weight 8,3 Kg.



 **LIADRÓ** BdN - Chand.

Esta luminaria es compatible con bombillas de clases energéticas:



874/2012 

Sketch